

SUNMARK DS0331 mid early

Strong in starch



Advantages:

- High dry matter yield combined with big flexibility in harvest time
- Very high starch content and starch yield
- Stable yields also on medium conditions
- Higher fat content

Short profile:

---- = very low resistance/early/short,

++++ = very high resistance/late/long

	1	2	3	4	5	6	7	8	9	10
Plant height	█	█	█	█	█	█	█	█	█	█
Dry matter yield	█	█	█	█	█	█	█	█	█	█
Energy yield	█	█	█	█	█	█	█	█	█	█
Starch yield	█	█	█	█	█	█	█	█	█	█
Grain yield	█	█	█	█	█	█	█	█	█	█
Early vigour	█	█	█	█	█	█	█	█	█	█
Lodging Res.	█	█	█	█	█	█	█	█	█	█
Fusarium Ear rot Res.	█	█	█	█	█	█	█	█	█	█

SUNMARK DS0331 mid early

Strong in starch

Adaption:

Cold tolerance in spring



Cultivation:

Density, unirrigated

D: 9,5, F: 9,5, SK: 8,5

Hybrid structure:

Hybrid type

single cross

Grain type

flint dent

Growth:

Early vigour



Plant height



Ear insertion, rel. to plant height



Leaf posture



Staygreen



Rows per ear



Kernel per row



Dry down >32% H²O



Dry-down 32-16% H²O



Resistance:

Lodging Res.




Common smut (Ustilago maydis) Res.



Fusarium stem rot Res.



Fusarium Ear rot Res.



Northern leaf blight (Helm. turc.) Res.



Yield & quality grain:

Grain yield



Threshing ability



Kernel weight (harvest)



SUNMARK DS0331 mid early

Strong in starch

Yield & quality silage:

